


EL



S

1 INSTRUCTIONS AND RECOMMENDATIONS



Switch off the mains before commencing any work

Very low output voltage (VLV) power supply in direct current - **DC 48V max.**



Mechanisms with screw terminals



For single units, use casings 50mm deep, diameter 67 or 68mm


2 WIRING

 N neutral – blue cable


 L phase – red cable

  earth – green/yellow cable

Example of installation with input micromodule




Example of installation with input micromodule



3 FITTING






After wiring according to the instructions, place the mechanism in the flush-mount box and screw on the plate as shown in the following diagrams :




4 TABLE OF RELEVANT REFERENCES

Buttons available in all these finishes :

M Collection

											
Brushed Nickel 511	Brushed Brass 512	Gun Metal 514	Old Bronze 517	Matt White 521	Matt Black 522	Matt RL Blue 523	Matt Ivory 524	Sanded Nickel 531	Sanded Brass 532	Mirror Varnished Brass 542	QPC Brass 543


Confidence Collection

											
Matt Black 408	Brushed Brass 410	Brushed Steel 412	Matt White 413	Gun Metal 414	Mirror Chrome 415	Old Bronze 417	Satin Nickel 418	Satin Brass 419	Mirror Gold 421	Satin Copper 423	White Enamel 424

Reference decomposition:



Reference and wording :




076-690Gxxx EL 1 DAMIER BOUTON CARRE
076-691Gxxx EL 2 DAMIERS BOUTONS CARRE
076-692Gxxx EL 3 DAMIERS BOUTONS CARRE
076-693Gxxx EL 1 DAMIER BOUTON ROND
076-694Gxxx EL 2 DAMIERS BOUTONS ROND
076-695Gxxx EL 3 DAMIERS BOUTONS ROND

Compatible with:

Confidence Collection
Fascination Collection

LED version (white colour)




076-690Gxxx-L EL 1 DAMIER BOUTON CARRE
076-691Gxxx-L EL 2 DAMIERS BOUTONS CARRE
076-692Gxxx-L EL 3 DAMIERS BOUTONS CARRE
076-693Gxxx-L EL 1 DAMIER BOUTON ROND
076-694Gxxx-L EL 2 DAMIERS BOUTONS ROND
076-695Gxxx-L EL 3 DAMIERS BOUTONS ROND

Confidence Collection
Fascination Collection

4 TABLE OF RELEVANT REFERENCES


Reference and wording :

Compatible with:



076-668Gxxx S 1 DAMIER BOUTON CARRE
 076-669Gxxx S 2 DAMIERS BOUTONS CARRE
 076-670Gxxx S 3 DAMIERS BOUTONS CARRE
 076-671Gxxx S 4 DAMIERS BOUTONS CARRE
 076-672Gxxx S 5 DAMIERS BOUTONS CARRE


Confidence Collection
 Fascination Collection
 M Collection



076-677Gxxx S 3 DAMIERS BOUTONS CARRE


Confidence Collection
 Fascination Collection
 M Collection

LED version (white colour) :



076-668Gxxx-L S 1 DAMIER BOUTON CARRE LED
 076-669Gxxx-L S 2 DAMIERS BOUTONS CARRE LED
 076-670Gxxx-L S 3 DAMIERS BOUTONS CARRE LED
 076-671Gxxx-L S 4 DAMIERS BOUTONS CARRE LED
 076-672Gxxx-L S 5 DAMIERS BOUTONS CARRE LED

Confidence Collection
 Fascination Collection
 M Collection



076-677Gxxx-L S 3 DAMIERS BOUTONS CARRE LED


Confidence Collection
 Fascination Collection
 M Collection



4 TABLE OF RELEVANT REFERENCES


Reference and wording :

Compatible with:



076-679Gxxx S 1 DAMIER BOUTON ROND
 076-680Gxxx S 2 DAMIERS BOUTONS ROND
 076-681Gxxx S 3 DAMIERS BOUTONS ROND
 076-682Gxxx S 4 DAMIERS BOUTONS ROND
 076-683Gxxx S 5 DAMIERS BOUTONS ROND


Confidence Collection
 Fascination Collection
 M Collection



076-688Gxxx S 3 DAMIERS BOUTONS ROND


Confidence Collection
 Fascination Collection
 M Collection

LED version (white colour) :



076-679Gxxx-L S 1 DAMIER BOUTON ROND LED
 076-680Gxxx-L S 2 DAMIERS BOUTONS ROND LED
 076-681Gxxx-L S 3 DAMIERS BOUTONS ROND LED
 076-682Gxxx-L S 4 DAMIERS BOUTONS ROND LED
 076-683Gxxx-L S 5 DAMIERS BOUTONS ROND LED

Confidence Collection
 Fascination Collection
 M Collection



076-688Gxxx-L S 3 DAMIERS BOUTONS CARRE LED

Confidence Collection
 Fascination Collection
 M Collection



5 CERTIFICATIONS

The 076-6xxxx series of push-button mechanisms for home automation checkerboards meet the requirements of standard NF EN 60-669-01.

