



Inspiration sourcebook	20
Our finishes	22
BUBOX CLASSIC	26
BUBOX LINE	30
Kit and accessories	32
Installation solutions	33

INSPIRATION SOURCEBOOK





OUR FINISHES





SCHUKO SOCKET - BFC101/2




BRUSHED RAW BRASS LID - /1

BUBOX CLASSIC




TERRACE KIT - BFC108/2 SCHUKO SOCKET - BFC111/2

BUBOX CLASSIC




SCHUKO SOCKET - BFC101/1

BUBOX CLASSIC



2P+T FRANCO-BELGIAN SOCKET - BFC112/1




BUBOX LINE



2P+T FRANCO-BELGIAN SOCKET - BFL102/2

BUBOX LINE



2P+T FRANCO-BELGIAN SOCKET - BFL102/1

Discover our **IP67** watertight floorbox, combining modern design and cutting-edge technology to meet all your electrical needs, whether indoors or outdoors.

Designed to guarantee **optimum protection** against dust and water splashes, our floor sockets are ideal for demanding environments.

PROTECTION RATING



Closed socket



Opened socket



Shock resistance



Crush resistance



Marine use, corrosion resistance



Maximum temperature

TIMELESS DESIGN

A sleek, attractive cover with no visible screws, made from raw brushed brass or brushed 316L stainless steel, ideal for aggressive environments.

Often used for marine applications, 316L stainless steel is highly resistant to corrosion (seaside, swimming pool...) A discreet, elegant design that blends harmoniously into both classic and contemporary interiors.

▼ INSTALLATION ON ANY TYPE OF FLOOR

For smoothed or waxed concrete, tiles, parquet, joists, hollow floors, wooden or stone terraces, etc.

SAFETY


Automatic earthing, factory-fitted seals, **anti-condensation drain included**. A ready-to-install product, supplied with all installation accessories.

M ROBUSTNESS AND HIGH PROTECTION RATINGS

Our range of watertight floorbox has the highest protection ratings on the market, with high impact resistance (IK10) and crush resistance (2 tonnes). This protection is further enhanced by solid covers 5mm thick for BUBOX CLASSIC and 6mm thick for BUBOX LINE.



The BUBOX quality with every detail



- Screw-on lid
 With 2 opening options
- 4 Mechanism
 Mechanism dim: 45x45mm
- 2 Cover Integrated seal
- Floor box
 Flush-mounted box
- Mechanism support
 Automatic grounding
- Included anti-condensation drain Enhanced safety and product longevity

BUBOX CLASSIC

BUBOX CLASSIC watertight floorbox combine robustness, safety and stylish design to meet the needs of your projects, wherever they may be. They offer two options for opening their lid, including a secure opening.

Their flush-mounted boxes can be attached to each other to create multiple watertight floorbox. With the terrace kit, they can be installed in hollow ground, while with the concrete kit, they can be installed in concrete screed by reservation for a perfect flush installation.


The solution for all your outdoor projects.

EQUIPED WATERTIGHT FLOORBOX, STANDARD OPENING **BUBOX CLASSIC**

Watertight floorbox with standard opening

Our BUBOX CLASSIC watertight floorbox are sold assembled with the mechanism and its support. Please refer to the diagram below.

Standard opening lid + mechanism + mechanism support



Brushed 316I

BUBOX CLASSIC Dimensions of the watertight floorbox (with its flush-mounted box):100x100x59mm *			raw brass /1	stainless steel /2
BFC101-		Standard opening lid + mechanism black schuko socket	BFC101/1	BFC101/2
BFC102-		Standard opening lid + mechanism black 2P+T franco-belgian socket	BFC102/1	BFC102/2
		RETAIL PRICE EX TAX	121,10€	109,20 €
BFC106-		Standard opening lid + mechanism black swiss socket	BFC106/1	BFC106/2
BFC107-	(near	Standard opening lid + mechanism black italian bipasso socket	BFC107/1	BFC107/2
		RETAIL PRICE EX TAX	131,40 €	119,40 €
BFC10411-		Standard opening lid + mechanism black screened RJ45 cat 6A	BFC10411/1	BFC10411/2
		RETAIL PRICE EX TAX	131,40€	119,40 €
BFC10421-		Standard opening lid + mechanism double black screened RJ45 cat 6A	BFC10421/1	BFC10421/2
		RETAIL PRICE EX TAX	149,20€	139,20€

^{*}The BUBOX CLASSIC watertight floorbox must be installed in the BUBOX flush-mounted box (ref: BFC160) to ensure overall waterproofing.




Don't forget to order the keys for standard and secure openings.

BUBOX CLASSIC

EQUIPED WATERTIGHT FLOORBOX, SECURED OPENING

BUBOX CLASSIC

Secured opening lid + mechanism + mechanism support




Watertight floorbox with secured opening

BUBOX CLASSIC

Brushed 316L
stainless steel
/2

Dimensions of the watertight floorbox (with its flush-mounted box):100x100x59mm $(\cdot \bigcirc$ BFC111-Secured opening lid + mechanism black schuko socket BFC111/1 BFC111/2 BFC112- $\overline{(}$ BFC112/1 BFC112/2 Secured opening lid + mechanism black 2P+T franco-belgian socket RETAIL PRICE EX TAX 109,20€ 121,10€ BFC116-BFC116/1 BFC116/2 **◎** Secured opening lid + mechanism black swiss socket BFC117-Secured opening lid + mechanism black italian bipasso socket BFC117/1 BFC117/2 RETAIL PRICE EX TAX 131,40€ 119,40 € (·□·) BFC11411-Secured opening lid + mechanism black screened RJ45 cat 6A BFC11411/1 BFC11411/2 RETAIL PRICE EX TAX 131,40 € 119,40€ BFC11421- $(\cdot \blacksquare \cdot)$ BFC11421/1 BFC11421/2 Secured opening lid + mechanism double black screened RJ45 cat 6A RETAIL PRICE EX TAX 149,20€ 139,20€








BRUSHED 316L STAINLESS STEEL /2 -WATERTIGHT FLOORBOX WITH SECURED OPENING

BUBOX CLASSIC

KIT AND ACCESSORIES FOR EQUIPED WATERTIGHT FLOORBOX


BUBOX CLASSIC

The BUBOX flush-mounted box and the keys for opening the lids are **essential accessories** for the proper installation of your BUBOX watertight floorbox.



The box must be installed with the **BUBOX CLASSIC** watertight floorbox. (ref: BFC1XX/X)

Possibility to assemble multiple flush-mounted boxes using tenon-and-mortise joints. *Dimensions of a 4-box unit: 200 x 200 mm.*



Terrace kit for watertight floorbox BUBOX CLASSIC Exterior dimensions of the terrace kit: 125x125mm Cut-out dimensions of the terrace kit: 108x108mm		Brushed 316L stainless steel /2
BFC108- Terrace kit for installation in technical flooring and/or raised floors (stainless steel screws) Compatible with BUBOX CLASSIC only	BFC108/1	BFC108/2
RETAIL PRICE EXT TAX	139,00€	119,00€

BUBOX CLASSIC

OPENING KEYS BUBOX CLASSIC








FLUSH-MOUNTED BOX BUBOX CLASSIC





BUBOX LINE


Less is more.

While retaining the robustness and performance for which our watertight floorbox are renowned, and the technical advantages of BUBOX CLASSIC, **BUBOX LINE** is the perfect combination of top-of-the-range functionality and **refined design**. The lines of the flush-mount box disappear beneath the cover, giving way to an even more refined design. A meticulous finish for the most demanding projects, wherever they may be.

EQUIPED WATERTIGHT FLOORBOX, STANDARD OPENING BUBOX LINE

Our BUBOX LINE watertight floorbox are sold assembled with the mechanism and its support. Please refer to the diagram below.

Standard opening lid + mechanism + mechanism support



Watertight floorbox with standard opening BUBOX LINE Dimensions of the watertight floorbox (with its flush-mounted box):100x100x59mm *			Brushed 316L stainless steel /2	
BFL101-	Standard opening lid + mechanism black schuko socket	BFL101/1	BFL101/2	
BFL102-	Standard opening lid + mechanism black 2P+T franco-belgian socket	BFL102/1	BFL102/2	
	RETAIL PRICE EX TAX	161,10€	149,20€	
BFL106-	Standard opening lid + mechanism black swiss socket	BFL106/1	BFL106/2	
BFL107-	Standard opening lid + mechanism black italian bipasso socket	BFL107/1	BFL107/2	
	RETAIL PRICE EX TAX	171,40 €	159,40 €	
BFL10411-	Standard opening lid + mechanism black screened RJ45 cat 6A	BFL10411/1	BFL10411/2	
	RETAIL PRICE EX TAX	171,40 €	159,40 €	
BFL10421-	Standard opening lid + mechanism double black screened RJ45 cat 6A	BFL10421/1	BFL10421/2	
	RETAIL PRICE EX TAX 189,20 € 179,20 €			


^{*}The **BUBOX LINE** watertight floorbox must be installed in the BUBOX flush-mounted box (ref: BFL160) to ensure overall waterproofing.

Don't forget to order the keys for standard openings.

BUBOX LINE

KIT AND ACCESSORIES FOR EQUIPED WATERTIGHT FLOORBOX BUBOX LINE

The BUBOX flush-mounted box and the keys for opening the lids are **essential accessories** for the proper installation of your BUBOX watertight floorbox.



⚠ The box must be installed with the BUBOX LINE watertight floorbox. (ref: BFL1XX/X)

Terrace kit for watertight floorbox BUBOX LINE


Exterior dimensions of the terrace kit: 125x125mm Cut-out dimensions of the terrace kit: 108x108mm

Brushed	Brushed 316L
raw brass	stainless steel
/1	/22





BRUSHED 316L STAINLESS STEEL /2 -WATERTIGHT FLOORBOX WITH STANDARD OPENING



BRUSHED RAW BRASS /1 -WATERTIGHT FLOORBOX WITH STANDARD OPENING

Kit and accessories Bubox Classic and Bubox Line

KIT AND ACCESSORIES FOR EQUIPED WATERTIGHT FLOORBOX

BUBOX CLASSIC ET BUBOX LINE

AQUASTOP

BUBOX CLASSIC AND BUBOX LINE


Dimensions of the Aquastop: Ø84,5x63 mm

Aluminium	Brushed 316L
natural anodized	stainless steel
/90	/2



Leveling plate and concrete kit BUBOX CLASSIC AND BUBOX LINE


References



RETAIL PRICE EX TAX 28,00 €

BRUSHED 316L STAINLESS STEEL AQUASTOP BUBOX CLASSIC

BUBOX CLASSIC BUBOX LINE



Waterproofing guaranteed up to 45 mm thanks to an integrated O-ring seal.

CONCRETE KIT BUBOX CLASSIC BUBOX LINE



The Aquastop screws into place instead of the cap to protect connected sockets from splashes and high-pressure water washing.



LEVELING PLATE BUBOX CLASSIC BUBOX LINE



Installation solutions

A solution for every project

BUBOX by MODELEC is designed to be installed in various types of flooring, suitable for both construction and renovation projects in the most demanding environments.

INSTALLATION IN CONCRETE SCREED BUBOX CLASSIC BUBOX LINE




INSTALLATION ON JOISTS WITHOUT TERRACE KIT BUBOX CLASSIC BUBOX LINE



INSTALLATION ON HOLLOW FLOOR WITH TERRACE KIT (WOOD OR TILE ON SUPPORTS)

BUBOX CLASSIC

BUBOX LINE



INSTALLATION ON HOLLOW FLOOR WITHOUT TERRACE KIT (WOOD OR TILE ON SUPPORTS)

BUBOX CLASSIC

BUBOX LINE



For a flush floor installation without the terrace kit, use the leveling plate. (ref.: BFK119)



www.modelec.com

COMMERCIAL SERVICE

ZA Méré Gare 78490 Méré - FRANCE +33 (0)1 34 86 86 65 contact@modul.com